


## Installing JR Multis for SampleTank 3

Installing the Jordan Rudess Multis for SampleTank 3 is easy. Once you extract the downloaded .ZIP file, go ahead and select all items located inside that folder then right-click and select copy.

Now go to your SampleTank 3 library directory on your computer and open the “Multis” folder. You can verify your library disk path by accessing the SampleTank 3 settings (*image 1-1*) and viewing the DISK PATH (*image 1-2*).



(*image 1-1*)




(*image 1-2*)

Here are the **default** paths for your SampleTank 3 library:

OS X: Macintosh HD\Users\Shared\IK Multimedia\SampleTank 3


Windows: C:\Users\Public\Documents\IK Multimedia\SampleTank 3

Once inside the Multis folder, right-click then select Paste. You will now see the new multi files (*image 2-1*).



(*image 2-1*)

Go ahead and open SampleTank 3. Click on MULTI and then click on the circular arrow icon (located at the bottom-right corner of this window) to rebuild the Multi database (*image 3-1*).



(image 3-1)

Your new Multis are now installed!

### List

- 1 – Extract .ZIP file (OSX: Double-click .zip to extract / Windows: Right-click > Extract...)
- 2 – Open extracted folder, select all items, then copy.
- 3 – Go to your SampleTank 3 Library and go into the Multis subfolder
- 4 – Paste all items into this Multis Folder
- 5 – Open SampleTank 3, then go to the Multis window
- 6 – Click on the circular arrow icon to rebuild the database

Your new multis will now appear inside SampleTank 3!